

CORRIGENDUM NO.3

CORRIGENDUM NO.3 TO THE TENDER NO.17/2014-15/NGS DATED 24.07.2014 FOR SUPPLY ,INSTALLATION ,TESTING & COMMISSIONING OF i) 1.5 TR SPLIT A/C UNITS- 405 NOS AND ii) 1 TR SPLIT A/C UNITS -810 NOS (MINIMUM 3 STAR RATED) IN THE PREFAB BUILDINGS AT THE GAMES VILLAGE ,MENAMKULAM,THIRUVANANTHAPURAM


Dated 25.08.2014

The revised technical specification for the tender work is attached herewith.

Sd/-

Chief Engineer

National Games Secretariat

Handwritten signature and date '25/8' written over a horizontal line.

ANNEXURE 3


TECHNICAL SPECIFICATONS

For 1.5 TR Split Air Conditioning Unit

- Nominal Capacity : 1.5 Ton
- Cooling Capacity : 4KW-6KW
- Electricity Input :230V/50Hz/Single Phase
- BEE star rating : 3(Minimum)
- Max. Ambient temperature : 48°C ±5%.
- Moisture removal rate :2±10% litre/hour
- Noise level
 - Indoor unit : less than 45db
 - Outdoor unit : less than 56 db
- Function Modes : Auto/cool/fan/dry- shall have sleep and power saving modes
- Compressor : Rotary type
- Body surface finish : powder coated/ high quality painted finish
White or ivory
- Air filtering unit : Activated carbon cartridge, dust proof and anti-bacteria filter
- Length of tubings : 15m or as per the installation requirement
- Condenser coil : Copper
- Remote handset : LCD display with night glow
- Replacement warranty : 1 year for the whole unit and 5 year for Compressor unit

Necessary arrangements for providing outdoor units to be made without additional cost

Approved Makes : Blue star / Carrier-midea / Daikin / Hitachi / LG / Voltas / Godrej / Samsung / Whirlpool /Llyod



TECHNICAL SPECIFICATONS

For 1 TR Split Air Conditioning Unit

- Nominal Capacity : 1 Ton
- Cooling Capacity :3KW-4KW
- Electricity Input :230V/50Hz/Single Phase
- BEE Star rating :3(Minimum)
- Max. Ambient temperature : 48°C ±5%.
- Moisture removal rate :1.5±10% litre/hour
- Noise level
 - Indoor unit : less than 39db
 - Outdoor unit : less than 56db
- Function Modes : Auto/cool/fan/dry- shall have sleep and power saving modes
- Compressor : Rotary type
- Body surface finish : powder coated/ high quality painted finish White or ivory
- Air filtering unit : Activated carbon cartridge, dust proof and anti-bacteria filter
- Length of tubings : 15m or as per the installation requirement
- Condenser coil : Copper
- Remote handset : LCD display with night glow
- Replacement Warranty : 1 year for whole unit and 5 year for Compressor unit

Necessary arrangements for providing outdoor units to be made without additional cost

Approved Makes : Blue star / Carrier-midea / Daikin / Hitachi / LG /Voltas /Godrej /Samsung / Whirlpool /Llyod

